Attorney Docket No. 05725.1421-00000

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

- 1 76 (Cancelled).
- 77. (Currently Amended) A make up composition for keratin materials comprising, in a cosmetically acceptable organic liquid medium, at least one filmforming linear ethylenic block polymer, wherein the at least one filmforming linear ethylenic block polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least one a first block and at least one a second block with different glass transition temperatures (Tg) linked together via an intermediate block comprising at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the at least one second block, said intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block of the polymer is chosen from:
 - a) a block with a Tg of greater than or equal to 40 °C,
 - b) a block with a Tg of less than or equal to 20 ℃,
 - c) a block with a Tg of between 20 and 40 °C, and
 the at least one second block is chosen from a category a), b) or c) different from
 the at least one first block, and

Application No.: 10/529,266

Attorney Docket No. 05725.1421-00000

further wherein the make up composition for keratin materials has a mean gloss at an angle of 20° of greater than or equal to 30 out of 100, and a transfer index of less than or equal to 40 out of 100.

- 78. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the at least one film-forming linear ethylenic block polymer is a non-elastomeric polymer.
- 79. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the at least one film-forming linear ethylenic block polymer is an ethylenic polymer derived from aliphatic ethylenic monomers comprising a carbon-carbon double bond and at least one group chosen from ester groups -COO- and amide groups -CON-.
- 80. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the at least one film-forming linear ethylenic block polymer is not soluble at an active material amount of at least 1% by weight in water or in a mixture of water and of linear or branched lower monoalcohols containing from 2 to 5 carbon atoms, without pH modification, at room temperature (25 °C).
 - 81. (Cancelled)
 - 82. (Cancelled)
- 83. (Currently Amended) The make up composition for keratin materials according to Claim 77, wherein the difference between the glass transition temperatures (Tg) of the at-least one first block and the at-least-one second block is greater than 10 °C.

84. (Currently Amended) The make up composition for keratin materials according to Claim 83, wherein the difference between the glass transition temperatures (Tg) of the at-least-one first block and the at-least-one second block is greater than 40 °C.

- 85. (Cancelled)
- 86. (Currently Amended) The make up composition for keratin materials according to Claim 77, wherein the at-least one film-forming linear ethylenic block-polymer contains at-least one first block and at-least one the second block [[that]] are incompatible in the organic liquid medium.
- (Previously Presented) The make up composition for keratin materials
 according to Claim 77, wherein the transfer index is less than or equal to 30 out of 100.
- 88. (Previously Presented) The make up composition for keratin materials composition according to Claim 87, wherein the transfer index is less than or equal to 2 out of 100.
- 89. (Currently Amended) The make up composition for keratin materials according to Claim 77, wherein the mean gloss measured at <u>an angle of 20° is greater</u> than or equal to 35 out of 100.
- 90. (Currently Amended) The make up composition for keratin materials according to Claim 89, wherein the mean gloss measured at <u>an angle of 20°</u> is greater than or equal to 60 out of 100.
- 91. (Currently Amended) The make up composition for keratin materials according to Claim 77, wherein the mean gloss measured at <u>an angle of 60°</u> is greater than or equal to 50 out of 100.

- 92. (Currently Amended) The make up composition for keratin materials according to Claim 91, wherein the mean gloss measured at <u>an angle of 60° is greater</u> than or equal to 90 out of 100.
- 93. (Currently Amended) The make up composition for keratin materials according to Claim 77, wherein the mean gloss measured at <u>an angle of 20° is greater</u> than 35 out of 100.
- 94. (Currently Amended) The make up composition for keratin materials according to Claim 93, wherein the mean gloss measured at <u>an angle of 20° is greater</u> than 75 out of 100.
 - 95. (Cancelled)
 - 96. (Cancelled)
- 97. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the at least one film-forming linear ethylenic block polymer has a polydispersity index that ranges from 2.8 to 6.
- 98. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the at least one film-forming linear ethylenic block polymer has a weight-average mass (Mw) of less than or equal to 300,000.
- 99. (Previously Presented) The make up composition for keratin materials according to Claim 98, wherein the weight-average mass (Mw) ranges from 35,000 to 200.000.
- 100. (Previously Presented)

 The make up composition for keratin materials according to Claim 99, wherein the weight-average mass (Mw) ranges from 45,000 to 150,000.

- 101. (Previously Presented) The make up composition for keratin materials according to Claim 99, wherein the number-average mass (Mn) is less than or equal to 70,000.
- 102. (Previously Presented) The make up composition for keratin materials according to Claim 99, wherein the number-average mass (Mn) ranges from 10,000 to 60,000.
- 103. (Previously Presented) The make up composition for keratin materials according to Claim 102, wherein the number-average mass (Mn) ranges from 12,000 to 50.000.
- 104. (Currently Amended)

 The make up composition for keratin materials according to Claim 77, wherein said composition comprises from 0.1% to 60% by weight of the at least one film-forming linear ethylenic block active material of polymer relative to the total weight of the composition.
- 105. (Currently Amended)

 The make up composition for keratin materials according to Claim 104, wherein said composition comprises 10% to 40% by weight of the at least one film-forming-linear-ethylenic-block active material of polymer relative-to-the-total weight of the composition.
- 106. (Previously Presented)

 The make up composition for keratin materials according to Claim 105, further comprising at least one glossy oil in an amount of less than 30% by weight relative to the total weight of the composition.
- 107. (Previously Presented) The make up composition for keratin materials according to Claim 106, wherein said at least one glossy oil is present in an amount of less than 15% by weight relative to the total weight of the composition.

108. (Cancelled)


- 109. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the block with a Tg of greater than or equal to 40 °C is totally or partially derived from at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of greater than or equal to 40 °C.
- 110. (Previously Presented) The make up composition for keratin materials according to Claim 109, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40 °C is chosen from the following monomers:
 - methacrylates of formula CH₂ = C(CH₃)-COOR₁

in which R_1 is chosen from a linear and branched unsubstituted C_1 to C_4 alkyl group and a C_4 to C_{12} cycloalkyl group;

- acrylates of formula CH_2 = CH- $COOR_2$

in which R2 is a C4 to C12 cycloalkyl group;

- (meth)acrylamides of formula:



in which R_7 and R_8 , which may be identical or different, each are chosen from hydrogen atoms and linear and branched C_1 to C_{12} alkyl groups; or R_7 is hydrogen and R_8 is a 1,1-dimethyl-3-oxobutyl group, and R^* is chosen from hydrogen and methyl.

- 111. (Previously Presented)

 The make up composition for keratin materials according to Claim 109, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40 °C is chosen from methyl methacrylate, isobutyl (meth)acrylate and isobornyl (meth)acrylate.
- 112. (Currently Amended) The make up composition for keratin materials according to Claim [[111]] 77, wherein the block with a Tg of less than or equal to 20 °C is totally or partially derived from at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20 °C.
- 113. (Previously Presented) The make up composition for keratin materials according to Claim 112, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20 °C is chosen from the following monomers:
 - acrylates of formula CH₂ = CHCOOR₃.
- wherein R_3 is chosen from a linear and branched C_1 to C_{12} unsubstituted alkyl group, with the exception of the tert-butyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;
 - methacrylates of formula CH₂ = C(CH₃)-COOR₄,
- wherein R_4 is chosen from a linear and branched C_6 to C_{12} unsubstituted alkyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated:
 - vinyl esters of formula R₅-CO-O-CH = CH₂
 in which R₅ is a linear or branched C₄ to C₁₂ alkyl group;

- C4 to C12 alkyl vinyl ethers,
- N-(C₄ to C₁₂)alkyl acrylamides, such as N-octylacrylamide.
- 114. (Previously Presented) The make up composition for keratin materials according to Claim 112, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20° C is chosen from C₁ to C₁₀ alkyl acrylates, with the exception of the tert-butyl group.
- 115. (Previously Presented)

 The make up composition for keratin materials according to Claim 77, wherein the block with a Tg of between 20 and 40 °C is totally or partially derived from at least one monomer, such that the homopolymer prepared from the at least one monomer has a glass transition temperature of between 20 and 40 °C.
- 116. (Previously Presented)

 The make up composition for keratin materials according to Claim 77, wherein the block with a Tg of between 20 and 40 °C is totally or partially derived from at least one monomer such that the corresponding homopolymer has a Tg of greater than or equal to 40 °C and from at least one monomer such that the corresponding homopolymer has a Tg of less than or equal to 20 °C.
- 117. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the block with a Tg of between 20 and 40 °C is partially derived from at least one monomer chosen from methyl methacrylate, isobornyl acrylate and methacrylate, butyl acrylate and 2-ethylhexyl acrylate.
- 118. (Currently Amended)

 The make up composition for keratin materials according to Claim 77, further comprising a block-polymer comprising at least one first-block and at least one second block-wherein the at least one first block has a class

transition temperature (Tg) of greater than or equal to 40 ℃ and the at-least-one second block has a glass transition temperature of less than or equal to 20 ℃.

- 119. (Currently Amended)

 The make up composition for keratin materials according to Claim 118, wherein the at least one first block is totally or partially derived from at least one monomer, such that the homopolymer prepared from the at least one monomer has a glass transition temperature of greater than or equal to 40 °C.
- 120. (Currently Amended)

 The make up composition for keratin materials according to Claim 119, wherein the at least one-first block is a copolymer derived from at least one monomer, such that the homopolymer prepared from the at least one monomer has a glass transition temperature of greater than or equal to 40 °C.
- 121. (Previously Presented) The make up composition for keratin materials according to Claim 119, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40 °C is chosen from the following monomers:
 - methacrylates of formula CH₂ = C(CH₃)-COOR₁

in which R_1 is chosen from a linear and branched unsubstituted C_1 to C_4 alkyl group or R_1 is chosen from a C_4 to C_{12} cycloalkyl group;

- acrylates of formula CH₂ = CH-COOR₂
- in which R_2 is chosen from a C_4 to C_{12} cycloalkyl group and a tert-butyl group;
 - (meth)acrylamides of formula:

$$CH_2 = C$$
 $CO \longrightarrow N$
 R_8

in which R_7 and R_8 , which may be identical or different, each are chosen from a hydrogen atom and a linear and branched C_1 to C_{12} alkyl group; or R_7 is a hydrogen and R_8 is a 1.1-dimethyl-3-oxobutyl group, and R' is a hydrogen or methyl.

- 122. (Previously Presented) The make up composition for keratin materials according to Claim 119, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40 °C is chosen from methyl methacrylate, isobutyl methacrylate and isobornyl (meth)acrylate.
- 123. (Currently Amended)

 The make up composition for keratin materials according to Claim 119, wherein the proportion of the at least one first block ranges from 20% to 90% by weight relative to the total weight of the polymer.
- 124. (Currently Amended) The make up composition for keratin materials according to Claim 123, wherein the proportion of the at-least-one first block ranges from 50% to 70% by weight relative to the total weight of the polymer.
- 125. (Currently Amended) The make up composition for keratin materials according to Claim 119, wherein the at least one second block is totally or partially derived from at least one monomer, such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20 °C.
- 126. (Currently Amended)

 The make up composition for keratin materials according to Claim 119, wherein the at least one second block is a homopolymer

derived from at least one monomer, such that the homopolymer prepared from the at least one monomer has a class transition temperature of less than or equal to 20° C.

- 127. (Previously Presented) The make up composition for keratin materials according to Claim 125, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20 °C is chosen from the following monomers:
 - acrylates of formula CH₂ = CHCOOR₃.
- wherein R_3 is chosen from a linear and branched C_1 to C_{12} unsubstituted alkyl group, with the exception of the tert-butyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;
 - methacrylates of formula CH2 = C(CH3)-COOR4,

 R_4 is a linear or branched C_6 to C_{12} unsubstituted alkyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- vinyl esters of formula R₅-CO-O-CH = CH₂
 in which R₅ is a linear or branched C₄ to C₁₂ alkyl group;
- C4 to C12 alkyl vinyl ethers;
- N-(C₄ to C₁₂)alkyl acrylamides, such as N-octylacrylamide.
- 128. (Previously Presented) The make up composition for keratin materials according to Claim 125, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to $20\,^{\circ}$ C is chosen from C_1 to C_{10} alkyl acrylates, with the exception of the tert-butyl group.
- 129. (Previously Presented) The make up composition for keratin materials according to Claim 128, wherein the at least one monomer whose corresponding

homopolymer has a glass transition temperature of less than or equal to $20\,^{\circ}\!\!\mathrm{C}$ is chosen from isobutiv acrylate, methyl acrylate and 2-ethylhexyl acrylate.

- 130. (Currently Amended) The make up composition for keratin materials according to Claim 118, wherein the proportion of the at least one second block with a Tg of less than or equal to 20 ℃ ranges from 5% to 75% by weight relative to the total weight of the polymer.
- 131. (Currently Amended)

 The make up composition for keratin materials according to Claim 130, wherein the proportion of the at least one second block with a Tg of less than or equal to 20 °C ranges from 25% to 45% by weight relative to the total weight of the polymer.
- 132. (Currently Amended) The make up composition for keratin materials according to Claim 118, further comprising a block polymer comprising at least one first-block and at least one second block, wherein the at least one first block has [[ving]] a glass transition temperature (Tg) of between 20 and 40 °C and the at least one second block has [[ving]] a glass transition temperature of less than or equal to 20 °C or a glass transition temperature of greater than or equal to 40 °C.
- 133. (Currently Amended)

 The make up composition for keratin materials according to Claim 132 wherein the at least one first block with a Tg of between 20 and 40 °C is totally or partially derived from at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of between 20 and 40 °C.
- 134. (Currently Amended) The make up composition for keratin materials according to Claim 132, wherein the at-least-one first block with a Tg of between 20 and

40 °C is a copolymer derived from at least one monomer such that the corresponding homopolymer has a Tg of greater than or equal to 40 °C and from at least one monomer such that the corresponding homopolymer has a Tg of less than or equal to 20 °C.

- 135. (Currently Amended) The make up composition for keratin materials according to Claim 132, wherein the at least one first block with a Tg of between 20 and 40 °C is derived from at least one monomer chosen from methyl methacrylate, isobornyl acrylate and methacrylate, butyl acrylate and 2-ethylhexyl acrylate.
- 136. (Currently Amended) The make up composition for keratin materials according to Claim 132, wherein the proportion of the at least one first block with a Tg of between 20 and 40 °C ranges from 10% to 85% by weight relative to the total weight of the polymer.
- 137. (Currently Amended) The make up composition for keratin materials according to Claim 136, wherein the proportion of the at least one first block with a Tg of between 20 and 40 °C ranges from 50% to 70% by weight relative to the total weight of the polymer.
- 138. (Currently Amended) The make up composition for keratin materials according to Claim 132, wherein the at least one second block has a Tg of greater than or equal to 40 ℃ and is totally or partially derived from at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of greater than or equal to 40 ℃.
- 139. (Currently Amended) The make up composition for keratin materials according to Claim 132, wherein the at-least-one second block has a Tg of greater than or equal to 40 ℃ and is a homopolymer derived from at least one monomer such that

the homopolymer prepared from the at least one monomer has a glass transition temperature of greater than or equal to 40° C.

- 140. (Previously Presented)

 The make up composition for keratin materials according to Claim 138, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40 °C is chosen from the following monomers:
 - methacrylates of formula CH2 = C(CH3)-COOR1
- in which R_1 is chosen from a linear and branched unsubstituted C_1 to C_4 alkyl group or R_1 is chosen from a C_4 to C_{12} cycloalkyl group;
 - acrylates of formula CH2 = CH-COOR2

in which R_2 is chosen from a C_4 to C_{12} cycloalkyl group and a tert-butyl group;

- (meth)acrylamides of formula:

$$CH_2 = C \qquad CO \qquad N \qquad R_8$$

in which R_7 and R_8 , which may be identical or different, are each chosen from a hydrogen atom and a linear and branched C_1 to C_{12} alkyl group; or R_7 is a hydrogen and R_8 is a 1,1-dimethyl-3-oxobutyl group, and R' is a hydrogen or methyl.

141. (Previously Presented) The make up composition for keratin materials according to Claim 136, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of greater than or equal to 40 °C is chosen from methyl methacrylate, isobutyl methacrylate and isobornyl (meth)acrylate.

- 142. (Previously Presented) The make up composition for keratin materials according to Claim 138, wherein the proportion of the at least one second block with a Tg of greater than or equal to 40 °C ranges from 10% to 85% by weight relative to the total weight of the polymer.
- 143. (Currently Amended)

 The make up composition for keratin materials according to Claim 142, wherein the proportion of the at least one second block with a Tg of greater than or equal to 40 °C ranges from 30% to 70% by weight relative to the total weight of the polymer.
- 144. (Currently Amended)

 The make up composition for keratin materials according to Claim 132, wherein the at least one second block has a Tg of less than or equal to 20°C and is totally or partially derived from at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20°C.
- 145. (Currently Amended)

 The <u>make up</u> composition <u>for keratin materials</u> according to Claim 132, wherein the <u>at least one</u> second block has a Tg of less than or equal to 20°C and is a homopolymer derived from at least one monomer such that the homopolymer prepared from the at least one monomer has a glass transition temperature of less than or equal to 20°C.
- 146. (Previously Presented) The make up composition for keratin materials according to Claim 144, wherein the at least one monomer whose corresponding homopolymer has a glass transition temperature of less than or equal to 20 °C is chosen from the following monomers:
 - acrylates of formula CH2 = CHCOOR3,

wherein R_3 is chosen from a linear and branched C_1 to C_{12} unsubstituted alkyl group, with the exception of the tert-butyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated;

- methacrylates of formula CH2 = C(CH3)-COOR4,

 R_4 is chosen from a linear and branched C_6 to C_{12} unsubstituted alkyl group, in which at least one hetero atom chosen from O, N and S is optionally intercalated:

- vinyl esters of formula R $_5$ -CO-O-CH = CH $_2$ in which R $_5$ is chosen from linear and branched C $_4$ to C $_{12}$ alkyl groups;
- C₄ to C₁₂ alkyl vinyl ethers;
- N-(C₄ to C₁₂)alkyl acrylamides.
- 147. (Previously Presented) The make up composition for keratin materials according to Claim 144, wherein the at least one monomer whose homopolymers have glass transition temperatures of less than or equal to $20\,^{\circ}\text{C}$ is chosen from C_1 to C_{10} alkyl acrylates, with the exception of the tert-butyl group.
- 148. (Previously Presented) The make up composition for keratin materials according to Claim 144, wherein the proportion of the block with a glass transition temperature of greater than or equal to 40°C ranges from 20% to 90% by weight relative to the total weight of the polymer.
- 149. (Previously Presented) The make up composition for keratin materials according to Claim 148, wherein the proportion of the block with a glass transition temperature of greater than or equal to 40 °C ranges from 50% to 70% by weight relative to the total weight of the polymer.

- 150. (Currently Amended)

 The make up composition for keratin materials according to Claim 81 wherein the at least one first block and/or the at least one second block comprises at least one additional monomer.
- 151. (Previously Presented) The make up composition for keratin materials according to Claim 150, wherein the at least one additional monomer is chosen from hydrophilic monomers and ethylenically unsaturated monomers comprising at least one silicon atom.
- 152. (Previously Presented) The make up composition for keratin materials according to Claim 150, wherein the at least one additional monomer is chosen from:
 - a) hydrophilic monomers and
 - b) ethylenically unsaturated monomers comprising at least one silicon atom.
- 153. (Previously Presented) The make up composition for keratin materials according to Claim 152, wherein the hydrophilic monomers a) are chosen from:
- ethylenically unsaturated monomers comprising at least one carboxylic or sulfonic acid function
- ethylenically unsaturated monomers comprising at least one tertiary amine function, and
 - methacrylates of formula CH₂ = C(CH₃)-COOR₆
- in which R_6 is chosen from a linear and branched C_1 to C_4 alkyl group, said alkyl group being substituted with at least one substituent chosen from hydroxyl groups and halogen atoms;
 - methacrylates of formula CH2 = C(CH3)-COOR9,

in which R_9 is chosen from a linear and branched C_6 to C_{12} alkyl group in which at least one hetero atom chosen from O, N and S is optionally intercalated, said alkyl group being substituted with at least one substituent chosen from hydroxyl groups and halogen atoms:

- acrylates of formula CH2 = CHCOOR10,

in which R_{10} is chosen from a linear and branched C_1 to C_{12} alkyl group substituted with at least one substituent chosen from hydroxyl groups and halogen atoms or

 R_{10} is a C_1 to C_{12} alkyl-O-POE (polyoxyethylene) with repetition of the oxyethylene unit from 5 to 30 times, or

 R_{10} is a polyoxyethylenated group comprising from 5 to 30 ethylene oxide units.

154. (Currently Amended)

The make up composition for keratin materials according to Claim 150, wherein each of the at least one first block and the at least one second block comprises at least one additional monomer chosen from acrylic acid, (meth)acrylic acid and trifluoroethyl methacrylate.

155. (Currently Amended)

The make up composition for keratin materials according to Claim 150, wherein each of the at least one first block and the at least one second block comprises at least one monomer chosen from (meth)acrylic acid esters and optionally at least one additional monomer.

156. (Currently Amended)

The make up composition for keratin materials according to Claim 150, wherein each of the at-least-one first block and the at-least-one

second block is totally derived from at least one monomer chosen from (meth)acrylic acid esters and optionally from at least one additional monomer.

- 157. (Currently Amended) The make up composition for keratin materials according to Claim 150, wherein the at least one additional monomer is present in an amount ranging from 1% to 30% by weight relative to the total weight of the at-least-one first block and/or the at-least-one second block.
- 158. (Previously Presented) The make up composition for keratin materials according to Claim 157, further comprising at least one dyestuff chosen from water-soluble dyes and pulverulent dyestuffs.
- 159. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the composition is in a form chosen from a suspension, a dispersion, a solution, a gel, an emulsion, a cream, a paste, a mousse, a dispersion of vesicles, a two-phase and multi-phase lotion, a spray, and a powder.
- 160. (Previously Presented) The make up composition for keratin materials according to Claim 159, wherein the composition is in the form of a paste chosen from a soft paste and an anhydrous paste.
- 161. (Previously Presented) The make up composition for keratin materials according to Claim 77, wherein the composition is in anhydrous form.
 - 162. (Cancelled)
 - 163. (Cancelled)
 - 164. (Cancelled)
 - 165. (Withdrawn-Currently Amended) A multi-compartment kit comprising:

 a) a container comprising at least one compartment, the container being closed by a closing member; and

b) a make up composition for keratin materials placed inside the at least one compartment, wherein the composition comprises, in a cosmetically acceptable organic liquid medium, at least one film-forming linear ethylenic block polymer, wherein the at least one film-forming linear ethylenic blockpolymer has a polydispersity index of greater than or equal to 2.5 and comprises a at least one first block and a at least one-second block with different glass transition temperatures (Tg) linked together via an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one first block differs from the at least one constituent monomer of the at least one second block, said intermediate block is a random copolymer block with a Tg that ranges from the glass transition

block, and the at least one first block of the polymer is chosen from:

temperature of the first block to the glass transition temperature of the second

- a) a block with a Tg of greater than or equal to 40 $^{\circ}$ C,
- b) a block with a Tg of less than or equal to 20 $^{\circ}$ C,
- c) a block with a Tg of between 20 and 40 °C, and
 the at least one second block is chosen from a category a), b) or c) different from
 the at least one first block, and

further wherein the make up composition for keratin materials has a mean gloss at 20° of greater than or equal to 30 out of 100, and a transfer index of less than or equal to 40 out of 100.

- 166. (Withdrawn) The multi-compartment kit according to Claim 165, wherein the container is at least partially formed from at least one thermoplastic material.
- 167. (Withdrawn) The multi-compartment kit according to Claim 165, wherein the container is at least partially formed from at least one non-thermoplastic material.
- 168. (Withdrawn) The multi-compartment kit according to Claim 165, wherein in the closed position of the container, the closing member is screwed onto the container.
- 169. (Withdrawn) The multi-compartment kit according to Claim 165, wherein in the closed position of the container, the closing member is coupled to the container in a manner other than by screwing.
- 170. (Withdrawn) The multi-compartment kit according to Claim 169, wherein in the closed position of the container, the closing member is coupled to the container by click-fastening.
- 171. (Withdrawn) The multi-compartment kit according to Claim 169, wherein in the closed position of the container, the closing member is coupled to the container by bonding or welding.
- 172. (Withdrawn) The multi-compartment kit according to Claim 165, wherein the composition is substantially at atmospheric pressure inside the compartment.
- 173. (Withdrawn) The multi-compartment kit according to Claim 165, wherein the composition is pressurized inside the container.

174. (Withdrawn-Currently Amended) A cosmetic process for making up keratin materials, comprising:

application to the keratin materials of a make up composition for keratin materials:

wherein the make up composition for keratin materials comprises, in a cosmetically acceptable organic liquid medium, at least one film-forming linear ethylenic block polymer, wherein the at least one film-forming linear ethylenic block polymer has a polydispersity index of greater than or equal to 2.5 and comprises at least onea first block and a at least one second block with different glass transition temperatures (Tg) linked together via an intermediate block comprising at least one constituent monomer of the at least one first block and at least one constituent monomer of the at least one second block, wherein the at least one constituent monomer of the at least one second block, said intermediate block is a random copolymer block with a Tg that ranges from the glass transition temperature of the first block to the glass transition temperature of the second block, and the at least one first block of the polymer is chosen from:

- a) a block with a Tg of greater than or equal to 40 ℃,
- b) a block with a Tg of less than or equal to 20°C,
- c) a block with a Tg of between 20 and 40 °C, and
 the at least-one second block is chosen from a category a), b) or c) different from
 the at least-one first block, and

further wherein the make up composition for keratin materials has a mean gloss at 20° of greater than or equal to 30 out of 100, and a transfer index of less than or equal to 40 out of 100.